


[Subscribe \(Full Service\)](#) [Register \(Limited Service, Free\)](#) [Login](#)

 Search: ☒ The ACM Digital Library ☐ The Guide

THE ACM DIGITAL LIBRARY

[Feedback](#)

Web page categorization
 Terms used:
Web page categorization

Found
1,952
 of
241,122

Sort
 results
 by
 Display
 results


[Save](#)
[results](#)
[to a](#)
[Binder](#)


Open
 results
 in a new
 window

Refine
 these
 results
 with
[Advanced](#)

[Search](#)

Try this
 search
 in [The](#)
[ACM](#)
[Guide](#)

 Results 1 - 20 of 1,952 Result page: [1](#) [2](#) [3](#) [4](#) [5](#) [6](#) [7](#) [8](#) [9](#) [10](#) [next](#)
[>>](#)

[1 Automatic web pages categorization with ReliefF and Hidden Naive Bayes](#)

Xin Jin, Rongyan Li, Xian Shen, Rongfang Bie
 March SAC '07: Proceedings of the 2007 ACM symposium on Applied computing 2007

Publisher: ACM

Full text available: [pdf\(117.40](#)

[KB\)](#)

Additional Information: [full citation](#), [abstract](#), [references](#), [index terms](#)

A great challenge of web mining arises from the increasingly large web pages and the high dimensionality associated with natural language. Since classifying web pages of an interesting class is often the first step of mining the web, web page categorization/classification ...

Keyw ords: Hidden Naive Bayes, ReliefF feature selection, web mining


2 Linear prediction models with graph regularization for web-page categorization



Tong Zhang, Alexandrin Popescul, Byron Dom

August KDD '06: Proceedings of the 12th ACM SIGKDD international conference on
2006 Knowledge discovery and data mining

Publisher: ACM

Full text available:  [pdf\(747.54 KB\)](#)

Additional Information: [full citation](#), [abstract](#), [references](#), [index terms](#)

We present a risk minimization formulation for learning from both text and graph structures which is motivated by the problem of collective inference for hypertext document categorization. The method is based on graph regularization formulated as a well-formed ...


Keywords: collective inference, document classification, graph and relational learning, regularization, semi-supervised learning

3 Machine learning methods for Chinese web page categorization

Ji He, Ah-Hwee Tan, Chew-Lim Tan

October Proceedings of the second workshop on Chinese language
2000 processing: held in conjunction with the 38th Annual Meeting of the
Association for Computational Linguistics - Volume 12, Volume 12

Publisher: Association for Computational Linguistics

Full text available:  [pdf\(706.21 KB\)](#)

Additional Information: [full citation](#), [abstract](#), [references](#), [cited by](#)

This paper reports our evaluation of k Nearest Neighbor (kNN), Support Vector Machines (SVM), and Adaptive Resonance Associative Map (ARAM) on Chinese web page classification. Benchmark experiments based on a Chinese web corpus showed that their ...


4 Web-page classification through summarization



Dou Shen, Zheng Chen, Qiang Yang, Hua-Jun Zeng, Benyu Zhang, Yuchang Lu, Wei-Ying Ma

July SIGIR '04: Proceedings of the 27th annual international ACM SIGIR conference
2004 on Research and development in information retrieval

Publisher: ACM

Full text available:  [pdf\(225.80 KB\)](#)

Additional Information: [full citation](#), [abstract](#), [references](#), [cited by](#),
[index terms](#), [review](#)

Web-page classification is much more difficult than pure-text classification due to a large variety of noisy information embedded in Web pages. In this paper, we propose a new Web-page classification algorithm based on Web summarization for improving ...

Keywords: content body, web page categorization, web page summarization

5 [Estimating the evolution of categorized web page populations](#)



Ioannis Anagnostopoulos, Photis Stavropoulos, Georgios Kouzas, Christos Anagnostopoulos, Dimitrios D. Vergados

July ICWE '06: Workshop proceedings of the sixth international conference on Web 2006 engineering

Publisher: ACM

Full text available: [pdf\(112.13 KB\)](#)

Additional Information: [full citation](#), [abstract](#), [references](#), [index terms](#)

This paper proposes a statistical approach for estimating the evolution of categorized web pages. The proposal is based on the capture-recapture method used in wildlife biological studies and it is modified according to the necessary assumptions and ...

Keyw ords: capture-recapture measurements, web evolution, web page categorization

6 [Knowing a web page by the company it keeps](#)



Xiaoguang Qi, Brian D. Davison

November CIKM '06: Proceedings of the 15th ACM international conference on 2006 Information and knowledge management

Publisher: ACM

Full text available: [pdf\(501.49 KB\)](#)

Additional Information: [full citation](#), [abstract](#), [references](#), [index terms](#)

Web page classification is important to many tasks in information retrieval and web mining. However, applying traditional textual classifiers on web data often produces unsatisfying results. Fortunately, hyperlink information provides important clues ...

Keyw ords: SVM, neighboring, rainbow, web page classification

7 [Mining web content outliers using structure oriented weighting techniques and N-grams](#)



Malik Agyemang, Ken Barker, Rada S. Alhajj

March SAC '05: Proceedings of the 2005 ACM symposium on Applied computing 2005

Publisher: ACM

Full text available: [pdf\(106.61 KB\)](#)

Additional Information: [full citation](#), [abstract](#), [references](#), [index terms](#)

Classifying text into predefined categories is a fundamental task in information retrieval (IR). IR and web mining techniques have been applied to categorize web pages to enable users to manage and use the huge amount of information available on the ...

Keyw ords: dissimilarity measure, n-grams, text categorization, web contents, web mining

8 [Topic Continuity for Web Document Categorization and Ranking](#)

B. L. Narayan, C. A. Murthy, Sankar K. Pal

October WI '03: Proceedings of the 2003 IEEE/WIC International Conference on
2003 Web Intelligence

Publisher: IEEE Computer Society

Full text available:  [Publisher](#)

[Site](#)

Additional Information: [full citation](#), [abstract](#), [cited by](#), [index terms](#)

PageRank is primarily based on link structure analysis. Recently, it has been shown that content information can be utilized to improve link analysis. We propose a novel algorithm that harnesses the information contained in the history of a surfer to ...

9 [Interest-based personalized search](#)



Zhongming Ma, Gautam Pant, Olivia R. Liu Sheng

February ACM Transactions on Information Systems (TOIS), Volume 25 Issue
2007 1

Publisher: ACM

Full text available:  [pdf\(1.58](#)

[MB\)](#)

Additional Information: [full citation](#), [abstract](#), [references](#), [index terms](#)

Web search engines typically provide search results without considering user interests or context. We propose a personalized search approach that can easily extend a conventional search engine on the client side. Our mapping framework automatically maps ...

Keywords: Open Directory, Personalized search, World Wide Web, information retrieval, user interest, user interface

10 [Joint categorization of queries and clips for web-based video search](#)



Ruofei Zhang, Ramesh Sarukkai, Jyh-Herng Chow, Wei Dai, Zhongfei Zhang

October MIR '06: Proceedings of the 8th ACM international workshop on Multimedia
2006 information retrieval

Publisher: ACM

Full text available:  [pdf\(378.76](#)

[KB\)](#)

Additional Information: [full citation](#), [abstract](#), [references](#), [index terms](#)

Building a video search engine on the Web is a very challenging problem. Compared with web page search, video search has its unique characteristics (such as high volume of data for each video, existence of multi-modal information including meta-data, ...

Keywords: experiment, multi-modality based categorization, query categorization, video categorization, web-based video search

11 Categorizing web queries according to geographical locality



Luis Gravano, Vasileios Hatzivassiloglou, Richard Lichtenstein
November CIKM '03: Proceedings of the twelfth international conference on
2003 Information and knowledge management

Publisher: ACM

Full text available:  [pdf\(545.74 KB\)](#)

Additional Information: [full citation](#), [abstract](#), [references](#), [cited by](#),

[index terms](#)

Web pages (and resources, in general) can be characterized according to their *geographical locality*. For example, a web page with general information about wildflowers could be considered a *global* page, likely to be of interest to a geographically ...

Keywords: information retrieval, query classification, query modification, search engines, web search

12 The Role of URLs in Objectionable Web Content Categorization

Jianping Zhang, Jason Qin, Qiuming Yan
December WI '06: Proceedings of the 2006 IEEE/WIC/ACM International Conference
2006 on Web Intelligence

Publisher: IEEE Computer Society

Full text available:  [pdf\(233.52 KB\)](#)

Additional Information: [full citation](#), [abstract](#), [index terms](#)

By analyzing a set of access attempts by teenagers to pornographic websites, we found that more than half of them are image searches and visits to websites with little text information. It is obvious that textual content-based filters cannot correctly ...

13 Measuring Semantic Similarity between Named Entities by Searching the Web Directory

Jiahui Liu, Larry Birnbaum
November WI '07: Proceedings of the IEEE/WIC/ACM International Conference on
2007 Web Intelligence

Publisher: IEEE Computer Society

Full text available:  [pdf\(525.06 KB\)](#)


Additional Information: [full citation](#), [abstract](#)

The importance of named entities in information retrieval and knowledge management has recently brought interest in characterizing semantic relationships between entities. In this paper, we propose a method for measuring semantic similarity, an important ...

14 [An unsupervised hierarchical approach to document categorization](#)

Robert Wetzker, Tansu Alpcan, Christian Bauckhage, Winfried Umbrath, Sahin Albayrak
November WI '07: Proceedings of the IEEE/WIC/ACM International Conference on
2007 Web Intelligence

Publisher: IEEE Computer Society

Full text available:  [pdf\(401.04 KB\)](#)

Additional Information: [full citation](#), [abstract](#)

We propose a hierarchical approach to document categorization that requires no pre-configuration and maps the semantic document space to a predefined taxonomy. The utilization of search engines to train a hierarchical classifier makes our approach more ...

15 [A Report of Activities at the WIC-India Research Center](#)

B. L. Narayan, Sankar K. Pal
September WI '04: Proceedings of the 2004 IEEE/WIC/ACM International
2004 Conference on Web Intelligence

Publisher: IEEE Computer Society

Full text available:  [pdf\(63.57 KB\)](#)  [Publisher](#)
[Site](#)

Additional Information: [full citation](#), [abstract](#)

The research activities of the WIC-India Research Center include topics like improving the performance of search engines, link and neighborhood analysis, as well as, surfer modeling for ranking and categorization of web pages, and query answering. In ...

16 [What type of page is this?: genre as web descriptor](#)



Mark A. Rosso
June JCDL '05: Proceedings of the 5th ACM/IEEE-CS joint conference on Digital
2005 libraries

Publisher: ACM

Full text available:  [pdf\(135.20 KB\)](#)

Additional Information: [full citation](#), [abstract](#), [references](#), [index terms](#)

Many have suggested the use of genres to ameliorate the problem of web search, e. g. [1,3,4,5,6,7]. A central issue in the implementation of this idea is the choice of genres to be used as web page descriptors. Several studies have explored user terminology ...

Keywords: classification, genre, metadata, web search


17 [Analysis of usage patterns in experiential multiple perspective web search](#)



Rahul Singh, Ya-Wen Hsu

September MULTIMEDIA '07: Proceedings of the 15th international conference on Multimedia

Publisher: ACM

Full text available:  [pdf\(868.40 KB\)](#)

Additional Information: [full citation](#), [abstract](#), [references](#), [index terms](#)

With the rapid growth in the volume, complexity, and heterogeneity of information in the World Wide Web (WWW), the role of user-data interaction paradigms is becoming increasingly critical to the success of web-based information retrieval and assimilation. ...


18 [Accuracy enhancement of function-oriented web image classification](#)



Koji Nakahira, Toshihiko Yamasaki, Kiyoharu Aizawa

May WWW '05: Special interest tracks and posters of the 14th international 2005 conference on World Wide Web

Publisher: ACM

Full text available:  [pdf\(299.81 KB\)](#)

Additional Information: [full citation](#), [abstract](#), [references](#), [index terms](#)

We propose a function-oriented classification of web images and show new applications using this categorization. We defined nine categories of images taking into account of their functions used in web pages, and classified web images by using Support ...

Keywords: classification, support vector machine, web images


19 [Improved annotation of the blogosphere via autotagging and hierarchical clustering](#)



Christopher H. Brooks, Nancy Montanez

May WWW '06: Proceedings of the 15th international conference on World Wide 2006 Web

Publisher: ACM

Full text available:  [pdf\(281.51 KB\)](#)

Additional Information: [full citation](#), [abstract](#), [references](#), [index terms](#)

Tags have recently become popular as a means of annotating and organizing Web pages and blog entries. Advocates of tagging argue that the use of tags produces a 'folksonomy', a system in which the meaning of a tag is determined by its use among the community ...

Keywords: automated annotation, blogs, hierarchical clustering, tagging

20 [Improving web performance by client characterization driven server adaptation](#)



Balachander Krishnamurthy, Craig E. Wills

May WWW '02: Proceedings of the 11th international conference on World Wide Web 2002

Publisher: ACM

Full text available:  [pdf\(241.76 KB\)](#)

Additional Information: [full citation](#), [abstract](#), [references](#), [cited by](#),

[index terms](#)

We categorize the set of clients communicating with a server on the Web based on information that can be determined by the server. The Web server uses the information to direct tailored actions. Users with poor connectivity may choose not to stay at ...

Keywords: client characterization, client connectivity, server adaptation

Results 1 - 20 of 1,952 Result page: [1](#) [2](#) [3](#) [4](#) [5](#) [6](#) [7](#) [8](#) [9](#) [10](#) [next](#)

[>](#) [>](#)

The ACM

Portal is published by the Association for Computing Machinery. Copyright © 2008 ACM, Inc.

[Terms of Usage](#) [Privacy Policy](#) [Code of Ethics](#) [Contact Us](#)

Useful downloads:  [Adobe Acrobat](#)  [QuickTime](#)  [Windows Media Player](#)  [Real Player](#)